



**Security Camera World**

Security you can count on

## 3.5" Color TFT LCD TEST MONITOR



**LCD42HTN Price: \$299.95**

- **3.5" Color TFT LCD**
- **480 (W) x 234 (H)**
- **CCFL back light**
- **10,000 hour min lamp life-time at 25C temp**
- **150:1 typical contrast ratio**

Model	LCD42HTN
Display	3.5" Color TFT LCD
Number of Dots	480 (W) x 234 (H)
Display Area	82.1 (W) x 61.8(H)
Dot Pitch	0.171 (W) x 0.264 (H)
Color Configurations	R.G.B delta
Back Light	CCFL
Input Signal	NTSC & PAL (auto-switch) composite video signal 1.9 Vp-p/75 ohm Negative. Audio 150~250 mVp-p / 1.0 watts output
Input/Output Terminal	Video: BNC Auto Termination Audio: RCA Jack

Lamp Life-Time	10,000 hour min at 25C temp
Viewing Angle (min)	U/D/L/R 30/50/50/50
Brightness	350 nit (typ.)
Contrast Ratio	150:1 typical
Response Time	Tr: 25ms Tf: 30ms (Type)
Power Voltage	1.2 Volts x 6 (Size "AA") 2200 mAH Rechargeable batteries
Power Consumption	4.5 W max
Operating Temperature	0~60
Storage Temperature	-20 ~80
Operating Humidity	Max. 85% RH
Storage Humidity	Max. 85% RH
Dimension (mm)	152 (W) x 105.6 (H) x 38.6 (D)
Weight	320g (w/o Battery)
External Control	Volume, Brightness, Color

## ( LCD4-KIT ) English Operation Manual

### ■ Catalogue:


- I. Features
- II. Functions
- III. Operation
- IV. Drawing of Wring Application
- V. Specification


### I. Features

- a. This model, CII-LCD42HTN, is a compact, durable, portable, rechargeable battery TFT LCD Monitor Test kit.
- b. With built-in charger circuit, it can ran on 6x "AA" rechargeable battery. Control panel with Power Switch ,Brightness Control, Color Control, Volume Control.

### II. Functions

- |                         |                       |
|-------------------------|-----------------------|
| 1. Monitor Power ON/OFF | 7. Video out          |
| 2. Volume               | 8. Video In           |
| 3. Control Brightness   | 9. DC 12V input       |
| 4. Color                | 10. Charger indicator |
| 5. Audio Out            | 11. Speaker           |
| 6. Audio In             |                       |





## ( LCD4-KIT ) English Operation Manual

### ■ Catalogue:

- I. Features
- II. Functions
- III. Operation
- IV. Drawing of Wring Application
- V. Specification

#### I. Features

- a. This model, CII-LCD42HTN, is a compact, durable, portable, rechargeable battery TFT LCD Monitor Test kit.
- b. With built-in charger circuit, it can ran on 6x "AA" rechargeable battery. Control panel with Power Switch ,Brightness Control, Color Control, Volume Control.

#### II. Functions

1. Monitor Power ON/OFF
2. Volume
3. Control Brightness
4. Color
5. Audio Out
6. Audio In

7. Video out
8. Video In
9. DC 12V input
10. Charger indicator
11. Speaker

