



Security Camera World

Security you can count on

High Power 28 LED 25 meter Night Vis Vari-Focal 4.0mm~9.0mm Zoom Lens Commercial Grade the professionals ch



CA120HL Price: \$299.95

- 4.0mm~9.0mm Zoom F1.6 Auto Iris Vari-Focal Lens
- 1/3" Sony Super HAD
- High Resolution Sony 550 TV Lines 0.03 Lux
- Weatherproof Camera
- 1 year parts and labor warranty
- 9.0mm~22.0mm Zoom F1.6 Auto Iris Vari-Focal Lens
- 1/3" Sony Super HAD
- High Resolution Sony 550 TV Lines 0.03 Lux
- Weatherproof Camera
- 1 year parts and labor warranty

IR Range 100 Feet

Item NO.

CA120HL

Description

1/3" Super Had High Resolution Weatherproof Vari-Fo

Pick up Element

1/3" Sony Super HAD

Number of Pixels

768(H) x 494(V) NTSC;

752(H) x 582(V) PAL;

Note: PAL only available as special order.

Back Light Compensation

ON

Line Lock

ON

Auto Electronics Shutter

ON

AGC	ON
ATW	ON
Sync. Mode	Internal Sync.
Scanning System	Interlace
Resolution	550 TV Line
S/N Ratio	More than 48dB
Gamma (γ)	0.45
Minimum illumination	0.03 Lux, F 1.4 (0 LUX with IR)
Infrared LED Quantity	28
Infrared LED Beam	850nm
Infrared LED Radiant Distance	25 meters (at least)
Horizontal Sync. Frequency	15.750 KHz 15.625 KHz
Video Output	1.0 Vp-p, 75 ohm
Power Source	24 VAC
Power Consumption	350 ma
Operating Temperature	-10 deg C to +60 deg C
IP Rating	IP66
Lens Amount	4.0mm~9.0mm F1.6 Auto Iris Vari-Focal Lens
Shutter Control	1/60~1/100,000 sec. 1/50~1/100,000 sec.
Dimension	280mm (L) X 115mm (H)
Net Weight	1.6kg

*Note PAL only available as special order.

Nighttime View



Daytime View



Compare Our 1.3 Mega Pixel Cameras to our 550 Line Analog Cameras



Note the difference
in the visibility of the stop sign
between these two cameras.

[See the
Mega Pixel
Difference](#)



Day



Night